

Stegmann, et al.

Atty Docket: CVGENG.008CPI

CHEMICALLY SYNTHESIZED haFGF GENE AND CORRESPONDING AMINO ACID SEQUENCE

FIG. 1

METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...

Stegmann, et al.

Appl. No.: Unknown

Atty Docket: CVGENG.008CP1

FGF fr HUMECGFB	TTC	GCC	CTG	ACC	AAG	AAT	CTG	CCT	CCA
haFGF 155	TTT	GCG	TTA	ACG	AAA	AAC	CTT	CCG	CCC
No amino acid	009	011	012	013	015	017	018	019	020
	Phe	Ala	Leu	Thr	Lys	Asn	Leu	Pro	Pro
FGF fr HUMECGFB	AAG	AAG	AAA	CTC	CTC	TGT	AGC	GGG	GGC
haFGF 155	AAA	AAA	AAG	CTT	CTT	TGC	AGT	GGA	GGA
No amino acid	024	025	027	028	029	031	032	034	035
	Lys	Lys	Lys	Leu	Leu	Cys	Ser	Gly	Gly
FGF fr HUMECGFB	AGG	ATC	CTT	CCG	GTG	ACA	AGG	GAC	AGG
haFGF 155	CGA	ATT	CTG	CCA	GTA	ACT	CGC	GAT	CGC
No amino acid	039	040	041	042	046	049	050	051	052
	Arg	Ile	Leu	Pro	Val	Thr	Arg	Asp	Arg
FGF fr HUMECGFB	AGC	CAG	AGT	GCG	GTG	GGG	GTG	ATA	AGT
haFGF 155	TCC	CAA	TCG	GCC	GTT	GGA	GTC	ATC	TCG
No amino acid	053	060	062	063	066	067	069	071	073
	Ser	Gln	Ser	Ala	Val	Gly	Val	Ile	Ser
FGF fr HUMECGFB	ACC	TTG	GAC	TTA	TAC	ACA	CCA	AAT	GAG
haFGF 155	ACG	CTT	GAT	CTG	TAT	ACG	CCT	AAC	GAA
No amino acid	074	080	085	088	089	093	094	095	096
	Thr	Leu	Asp	Leu	Tyr	Thr	Pro	Asn	Glu
FGF fr HUMECGFB	TGT	TTC	CTG	AGG	CTG	GAG	GAG	ACC	TAT
haFGF 155	TGC	TTT	CTA	AGA	CTA	GAA	GAA	ACG	TAC
No amino acid	098	100	101	103	104	105	106	111	112
	Cys	Phe	Leu	Arg	Leu	Glu	Glu	Thr	Tyr
FGF fr HUMECGFB	TCC	AAG	AAG	AAT	GTT	CTC	AAG	AAG	GGG
haFGF 155	TCG	AAA	AAA	AAC	GTA	CTT	AAA	AAA	GGT
No amino acid	114	115	116	121	124	126	127	128	130
	Ser	Lys	Lys	Asn	Val	Leu	Lys	Lys	Gly
FGF fr HUMECGFB	AGC	TGC	AAA	CGC	GGT	CCT	CAG	AAA	GCA
haFGF 155	TCC	TGT	AAG	CGT	GGA	CCA	CAA	AAG	GCT
No amino acid	131	132	133	134	135	136	142	143	144
	Ser	Cys	Lys	Arg	Gly	Pro	Gln	Lys	Ala
FGF fr HUMECGFB	TTT	CTC	CCC	CTG	GTC	TCT	TCT	GAT	
haFGF 155	TTC	CTG	CCA	CTC	GTG	AGC	TCC	GAC	
No amino acid	147	148	149	150	152	153	154	155	
	Phe	Leu	Pro	Leu	Val	Ser	Ser	Asp	

MODIFICATION IN MOLECULE haFGF 155 CODONS.
FGF fr HUMECGFB—THE SEQUENCE FROM GENBANK(at NCBI), haFGF 155
—THE SEQUENCE SYNTHESIZED BY THE INVENTION AUTHORS.

FIG.2

METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...

Stegmann, et al.

Appl. No.: Unknown Atty Docket: CVGENG.008CP1




FIG.3


METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...

Stegmann, et al.

Appl. No.: Unknown Atty Docket: CVGENG.008CPI

FGF-1(154aa) PURIFICATION

1 2 3



LANE 1: CRUDE MEDIA: YIELD: 225 mg FGF-1/LITER
2: HEPARIN-SEPHAROSE COLUMN
3: HPLC: C-18 COLUMN

OVERALL PURIFICATION YIELD: 65%
BIOACTIVITY: EQUIPOTENT WITH FGF-1 (SIGMA CHEM) IN:

- 1) 3T3 CELL PROLIFERATION ASSAY, AND
- 2) RAT HIND LIMB ANGIOGENESIS ASSAY

FIG.4

METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...

Stegmann, et al.

Appl. No.: Unknown

Atty Docket: CVGENG.008CPI




FIG.5

Appl. No.: Unknown Atty Docket: CVGENG.008CPI

NUCLEOTIDE AND AMINO ACID SEQUENCE FOR CHEMICALLY
SYNTHESIZED HUMAN A FGF (134 AMINO ACIDS)

FIG. 6

METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...

Stegmann, et al.

Appl. No.: Unknown

Atty Docket: CVGENG.008CP1




FIG. 7

METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...

Stegmann, et al.

Appl. No.: Unknown Atty Docket: CVGENG.008CP1

		BsaBI							
		BsaBI							
		BglII	VspI	BfmI	MbiI		XbaI		
4951	GGGTAGAGGATCGAGATCTCGATCCCGCGAAATTAATACGACTCA	CTATAGGGGAATTGTGAGCGGATAACAATTCCCTCTAGAAATAA							
	CGCATCTCCTAGCTCTAGAGCTAGGGCGCTTTAATTATGCTGAGT	GATATCCCTTAACACTCGCCTATTGTTAAGGGGAGATCTTTATT							
+2		MetPheAsnLeuPro	ProGlyAsnTyrLysLysProLysLeuLeuTyrCysSerAsnG1						
		SmaI	PstI						
		NdeI	AvaI	HindIII	BfmI				
5041	TTTTGTTTAACTTTAAGAAGGAGATATACATATGTTTAACTTCC	GCCCGGGAATTACAAAAACCCAGCTTCTTTACTGCAGTAACGG							
	AAACAAATTGAAATTCTTCTCTATATGTATACAAATTGGAAGG	CGGGCCCTTAATGTTTTTTGGGTTGGAAGAAATGACGTCATTGCC							
+2	yGlyHisPheLeuArgIleLeuProAspGlyThrValAspGlyThr	ArgAspArgSerAspGlnHisIleGlnLeuGlnLeuSerAlaG1							
		PvuI							
		EcoRI	NruI	PvuII	XmaIII				
5131	AGGACACTTCTCGGAATTCTGCCAGATGCCACAGTAGATGGGAC	TCGCGATCGCTCCGACCAGCACATTGAGCTGCAACTCTCGGCCGA							
	TCCTGTGAAGGACGCTTAAGACGGTCTACCGTGTCTACCCCTG	AGCGCTAGCGAGGCTGGTCTGTGAAGTCGACGTTGAGAGCCGGCT							
+2	uSerValGlyGluValTyrIleLysSerThrGluThrGlyGlnTyr	LeuAlaMetAspThrAspGlyLeuLeuTyrGlySerGlnThrPr							
		Sall							
		HindII	RsaI	StyI					
		HincII	MlsI	Csp6I	NcoI				
5221	AAGCGTTGGAGAGGCTATATCAAGTCGACGGAGACTGGCCAGTA	CCTTGCCATGGACACCGATGGGCTTCTGTATGGCTCACAGACGCC							
	TTCCGAACCTCTCCAGATATAGTTCAGCTGCCTCTGACCGGTCAT	GGAACGGTACCTGTGGCTACCCGAAGACATACCGAGTGTCTGCGG							
+2	oAsnGluGluCysLeuPheLeuGluArgLeuGluGluAsnHisTyr	AsnThrTyrIleSerLysLysHisAlaGluLysAsnTrpPheVa							
		RsaI							
		MvaI269I	XbaI	Csp6I					
5311	TAACGAAGAATGCTTGTCTTAGAAAGACTAGAAGAAAACCATTA	CAACACGTACATATCGAAAAACATGCAGAGAAGAACTGGTTTGT							
	ATTGCTTCTTACGAACAAAGATCTTTCTGATCTTCTTTGGTAAT	GTTGTGCATGTATAGCTTTTTTGTACGCTCTCTTCTTGACCAACA							
+2	lGlyLeuLysLysAsnGlySerCysLysArgGlyProArgThrHis	TyrGlyGlnLysAlaIleLeuPheLeuProLeuProValSerSe							
		SacI							
		StuI	MlsI						
5401	AGGCCTTAAAAAATGGTTCCTGTAAGCGTGGACCACGGACTCA	CTATGGCCAAAAGGCTATCTTGTTCCTGCCACTACCACTGAGCTC							
	TCCGGAATTTTTTTTACCAAGGACATTCCGACCTGGTGCCTGAGT	GATACCGGTTTTCCGATAGAACAAAGGACGGTGATGGTCACTCGAG							
+2	rAsp***								
		Sall							
		EcoRI	SacI	HindII	XmaIII	XhoI			
		BamHI	Ecl136II	HincII	HindIII	NotI	AvaI		
5491	CGACTAAGGATCCGAATTCGAGCTCGTTCGACAAGCTTGCGGCCG	CACTCGAGCACCACCACCACCACCCTGAGATCCGGCTGCTAACA							
	GCTGATTCTTAGGCTTAAGCTCGAGGCAGCTGTTCCGAACGCCGGC	GTGAGCTCGTGGTGGTGGTGGTGGTGACTCTAGGCCGACGATTGT							


NUCLEOTIDE AND AMINO ACID SEQUENCE FOR CHEMICALLY
SYNTHESIZED HUMAN A FGF (140 AMINO ACIDS)

FIG.8

METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...

Stegmann, et al.

Appl. No.: Unknown Atty Docket: CVGENG.008CP1



1 2 3 4 5 6 7 8

ELECTROPHOREGRAMM

1-MOLECULAR WEIGHT KIT(94 000,67 000,43 000,30 000
20 100, 14 400)

THE CULTURAL MEDIUM, CONTAINING:

2-haFGF 134(40 μ l OF THE CULTURAL MEDIUM)

3-haFGF 140(40 μ l OF THE CULTURAL MEDIUM)

4-IFN α 2B(40 μ l OF THE CULTURAL MEDIUM)

5-haFGF 155(40 μ l OF THE CULTURAL MEDIUM)

6-HGH(40 μ l OF THE CULTURAL MEDIUM)

7-MAP(40 μ l OF THE CULTURAL MEDIUM)

8- β -GALACTOSIDASE OF E. COLI(40 μ l OF THE CULTURAL MEDIUM)


FIG.9

METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...

Stegmann, et al.

Appl. No.: Unknown

Atty Docket: CVGENG.008CP1



ELECTROPHOREGRAMM OF THE PURIFIED PRODUCTS:

1-MOLECULAR WEIGHT KIT (94 000, 67 000, 43 000,
30 000, 20 100, 14 400)

2-haFGF 134

3-haFGF 140

4-haFGF 146

5-IFN α 2b

6-haFGF 155

7-MAP

8-MOLECULAR WEIGHT KIT


FIG.10

METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...

Stegmann, et al.

Appl. No.: Unknown

Atty Docket: CVGENG.008CPI




1 ugm recombinant haFGF 155

FIG.11A

METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...

Stegmann, et al.

Appl. No.: Unknown Atty Docket: CVGENG.008CP1



CONTROL

FIG. 11B

METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...


Stegmann, et al.

Appl. No.: Unknown


Atty Docket: CVGENG.008CP1

Figure

12



10 μ gHGF-1



without HGF-1

METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...

Stegmann, et al.


Appl. No.: Unknown Atty Docket: CVGENG.008CP1

Figure

13



10 ug kg HBGF-I



without HBGF-I


METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...

Stegmann; et al.

Appl. No.: Unknown

Atty Docket: CVGENG.008CP1

FIGURE
14



10 µg/kg HBGF-1




10 µg/kg HBGF-1

METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...

Stegmann, et al.

Appl. No.: Unknown Atty Docket: CVGENG.008CP1

Figure
15





METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...

Stegmann, et al.


Appl. No.: Unknown Atty Docket: CVGENG.008CP1

DS,21.03.3

90 Days



Preoperatively



7.5.1.1.11


METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...

Stegmann, et al.

Appl. No.: Unknown

Atty Docket: CVGENG.008CP1

**SPECT
Perfusion
Score**



Score:

4 normal



0 Absence of Tracer

Preoperatively

45 Days

90 Days

7. - 171

METHOD OF PRODUCING BIOLOGICALLY ACTIVE HUMAN
ACIDIC FIBROBLAST...


Stegmann, et al.

Appl. No.: Unknown Atty Docket: CVGENG.008CP1

**SPECT
Perfusion
Score**

*** P < 0.001**

**12
10
8
6
4
2
0**



Score:

4 normal



0 Absence of Tracer

Preoperatively

45 Days

90 Days

7. 17 D